


# Vibration Profile 3

## Broadband noise


Frequency (Hz)	Acceleration density (m/s <sup>2</sup> ) <sup>2</sup> /Hz
10	14.0
50	7.0
60	3.5
300	0.5
500	45.6
1,500	15.3
Effective value a <sub>Eff</sub>	168 m/s <sup>2</sup>



## Sine

Alteration rate of frequency: 1 oct./min

Frequency (Hz)	Amplitude of acceleration (m/s <sup>2</sup> )	Amplitude of oscillation lane (µm)
20	50	
85	50	
85		175
200		175
200	280	
220	280	
300	125	
440	125	



### Represented by:

**Europe:**  
 Bosch Engineering GmbH  
 Motorsport  
 Robert-Bosch-Allee 1  
 74232 Abstatt  
 Germany  
 Tel.: +49 7062 911 9101  
 Fax: +49 7062 911 79104  
 motorsport@bosch.com  
 www.bosch-motorsport.de

**North America:**  
 Bosch Engineering North America  
 Motorsport  
 38000 Hills Tech Drive  
 Farmington Hills, MI 48331-3417  
 United States of America  
 Tel.: +1 248 876 2977  
 Fax: +1 248 876 7373  
 motorsport@bosch.com  
 www.bosch-motorsport.com

**Asia-Pacific:**  
 Bosch Engineering Japan K.K.  
 Motorsport  
 18F Queen's Tower C, 2-3-5 Minato  
 Mirai Nishi-ku, Yokohama-shi  
 Kanagawa 220-6218  
 Japan  
 Tel.: +81 45 650 5610  
 Fax: +81 45 650 5611  
 www.bosch-motorsport.jp

**Australia, New Zealand and South Africa:**  
 Robert Bosch Pty. Ltd  
 Motorsport  
 1555 Centre Road  
 Clayton, Victoria, 3168  
 Australia  
 Tel.: +61 (3) 9541 3901  
 motor.sport@au.bosch.com