

FPR Adaptor light



This adaptor offers the opportunity to convert a rail pressure regulator into an inline pressure regulator. The adaptor is able to hold a production type regulator as well as a motorsport regulator. Delivery without regulator.

Application		
Fuel compatibility	Gasoline, E85/M100	
Operating temperature range	-40 to 120°C	
Storage temperature range	-40 to 100°C	
Max. vibration	$<600 \text{ m/s}^2$ at 5 to 250 Hz	
Technical Specifications		

Mechanical Data

Diameter	50 mm
Heigth	55 mm

- Aluminum housing
- Fits to production type regulators and Motorsport regulators (FPR Mini 2, Mini 5, Mini A)
- Very light weight

Weight	92 g
Mounting	Screw fastening with M6 screws into housing or M5 screws through housing
Connectors and Wires	
Connector supply	2 x M14 x 1.5
Connector reflow	M14 x 1.5
Logal Postrictions	

Legal Restrictions


Due to embargo restrictions, sale of this product in Russia, Belarus, Iran, Syria, and North Korea is prohibited.

Ordering Information

FPR Adaptor light

Order number F02U.V02.248-01

Dimensions



Represented by:

Europe: Bosch Engineering GmbH Motorsport Robert-Bosch-Allee 1 74232 Abstatt Germany TeL: +49 7062 911 9101 Fax: +49 7062 911 79104 motorsport@bosch.com www.bosch-motorsport.de

North America: Bosch Engineering North America Motorsport 38000 Hills Tech Drive Farmington Hills, MI 48331-3417 United States of America Tel.: +1 248 876 2977 Fax: +1 248 876 7373 motorsport@bosch.com www.bosch.motorsport.com Asia-Pacific: Bosch Engineering Japan K.K. Motorsports Department 1-9-32 Nakagawa Chuo, Tsuzuki-ku Yokohama City Kanagawa Prefecture 224-8601 Japan Tel.: +81 45 605 3032 Fax: +81 45 605 3059 www.bosch-motorsport.jp

Australia, New Zealand and South Africa:

Robert Bosch Pty. Ltd Motorsport 1555 Centre Road Clayton, Victoria, 3168 Australia Tel.: +61 (3) 9541 3901 motor.sport@au.bosch.com

 \circledast Bosch Engineering GmbH 2024 | Data subject to change without notice 50225163 | en, 1, 30. Sep 2024